Quantifying Health Impacts from Multiple Sources:

The creation of a relative index for assessment and modeling of recommendations

John D. Prochaska, DrPH, MPH

2013 National HIA Meeting, Washington, DC



Photo by Robert Stanton / Houston Chronicle

utmb Health Center to Eliminate Health Disparities

Acknowledgements

UTMB

- Alexandra Nolen
- Robert Buschmann
- Christen Miller
- Sayali Tarlekar

Georgia Health Policy Center

- Elizabeth Fuller
- James E. Dills
- Michelle M. Rushing
- Holly Avey

Georgia State University

- Erin Ruel
- Deirdre Oakley

- Katie Hirono and the Staff at the Health Impact Project
- Members of the Community Steering Committee
- This project is supported by a grant from the Health Impact Project, a collaboration of the Robert Wood Johnson Foundation and The Pew Charitable Trusts with funding from The Kresge Foundation.

Background & Setting

Galveston, **Texas**

Barrier island 1 hour southeast of Houston

Population: 48,444, with gusts to over 400,000

Resident population is Relatively older Less resourced Majority-Minority

Hit by Hurricane Ike in 2008







Why conduct an HIA?

- Following Hurricane Ike, 569 public housing units were demolished
 - 4 barracks apartment style complexes developed in the mid-20th century
- Series of discussions and debate on rebuilding of these units
 - Hybrid approach utilizing mixed-income and scattered-site housing
 - Scattered site housing units to be selected from existing properties occupied by housing choice voucher holders

Which potential scattered site locations in the City of Galveston present the best options for supporting health for public housing residents?

Challenges and Final Approach

- Changing decision point over the course of the project
 - Identified common features across different plans
 - Boundaries Conciliation Agreement
 - Broad elements of the plans contains some number of scattered site properties
 - Certainty General agreement that some number of units would be built on Galveston
 - Decided on a broad assessment of all census blocks
 - Similar calculations
 - No longer reliant on specific addresses
 - Provides relative scoring and comparisons across entire community

Indicators

Population Density

Poverty Concentration

Concentration of Minorities

Parks

Recreation Centers

Industrial Areas

Truck Routes

Elementary Schools

Alcohol Vendors

Grocery Stores

Fast Food and Convenience Stores

Licensed Child Care Centers

Environmental Hazards

Health Care and Social Services

Pedestrian Safety

Bus Route

Base Elevation / Flood Plain

utmb Health

Proximity vs. Density

Proximity

- Distance to nearest feature
- Calculated in meters
- "Near" tool

Density

- Number of features per 1000 population for census blocks within ¼ mile
- Spatial joins

- Standardized using Z-Scores
 - Converted scores into common units
 - Enabled calculation of a cumulative score



Scoring & Weighting

- Calculated raw and standardized scores for each indicator for every census block
- Applied Weighting Formula: Strength of Evidence + Impact
 - Strength of Evidence in the literature & Strength of Data Source
 - Consensus of 3 project researchers
 - Final vetting by community steering committee
- Calculated weighted cumulative score
- Calculated relative percentile rank for each indicator and overall cumulative score for occupied blocks

Ranked Blocks



Weighted Scores



utmb Health

Modeling Recommendations & Mitigation Strategies

- Capacity to model potential benefits to recommendations and mitigations focused on specific indicators
 - Determine an estimated improvement a given recommendation may have on a specific indicator (i.e., as good as the top 20% of blocks)
 - Give every block that is below that threshold the value of the 80th percentile
 - Calculate new cumulative impact score and compare to original scores
 - Results help to determine potential effectiveness for an intervention applied to a specific address (change in individual block score) or more broadly across the community

Modeling Recommendations

Indicator	Number of Added Census Blocks	Percent of Census Blocks Added	Percent of Total Census Blocks in Galveston
Proximity to Truck Routes	192	55%	31.0%
Pedestrian Safety Measures	108	31%	26.2%
Density of Alcohol Outlets	49	14%	22.8%
Proximity to Recreation Facilities	49	14%	22.8%
Proximity to Industrial Areas	49	14%	22.8%
Proximity to Health Care Services	48	14%	22.8%
Density of Less Healthy Foods	46	13%	22.6%
Density of Childcare Providers	45	13%	22.6%
Proximity to Parks	35	10%	22.0%
Proximity to Grocery Store	24	7%	21.4%
Proximity to Elementary Schools	13	4%	20.8%
Proximity to Bus Route	13	4%	20.8%
Proximity to Environmental Hazards	5	1%	20.3%

utmb Health Center to Eliminate Health Disparities

Limitations and Next Steps

- Network distance vs. "As the Crow Flies"
 - Smaller island with a grid-based street network
 - Network analyst can resolve this issue
- Establishment of weights can be more objective
 - Did include community input
 - Ground-truthing of scores helps to validate the results
- Assumed linear relationship between density/distance and relative health impact
 - A next step in refining the process
- Only valid within the geographic boundary of the study
 - Difficult for cross-community comparison

Thank You

joprocha@utmb.edu

http://www.utmb.edu/CEHD

